

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Seal-Krete Surface –Shell Part A**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation** Product Component
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Convenience Products, division of Clayton Corp.
866 Horan Drive
Fenton, MO 63026-2416
Phone: 636-349-5855
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585



2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The following classifications are applicable only to the general GHS regulations and not the specific CLP regulation: H360.
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H360Df, H411.



H360: May damage fertility or the unborn child



GHS08 health hazard

Repr. 1B H360Df May damage the unborn child. Suspected of damaging fertility.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



T; Toxic

R61: May cause harm to the unborn child.



Xn; Harmful

R62: Possible risk of impaired fertility.



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

| |
|--|
| Trade name: Seal-Krete Surface – Shell Part A |
|--|

(Contd. of page 1)

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411, H360Df.

The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H360.

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).



GHS08 GHS09

- **Signal word** Danger

- **Hazard-determining components of labelling:**

BBP

- **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H360Df, H411.

The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H360.

H360 May damage fertility or the unborn child.

H360Df May damage the unborn child. Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

- **Precautionary statements**

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Restricted to professional users.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 2)

- **Hazard description:**
- **WHMIS-symbols:**
D2A - Very toxic material causing other toxic effects



- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 2 | Health = *2 |
| FIRE | 1 | Fire = 1 |
| REACTIVITY | 0 | Reactivity = 0 |

* - Indicates a long term health hazard from repeated or prolonged exposures.

- **HMIS Long Term Health Hazard Substances**

85-68-7 | BBP

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

| | | |
|---|--|--------|
| CAS: 85-68-7 EINECS: 201-622-7 Index number: 607-430-00-3 | BBP ☠ T Repr. Cat. 2, 3 R61; ☠ Xn R62; ☠ N R50/53 ☠ Repr. 1B, H360Df ☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | 10-25% |
| CAS: 8002-09-3 EC number: 304-455-9 | Pine Oil ☠ Xn R21/22; ☠ Xi R36/38 R52 ☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | <10% |

- **SVHC**

85-68-7 | BBP

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 3)

4 First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Cramp

Nausea

Dizziness

Breathing difficulty

· **Hazards** Danger of impaired breathing.

· 4.3 Indication of any immediate medical attention and special treatment needed

Contains phthalates.

Medical supervision for at least 48 hours.

Monitor circulation.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

5 Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 4)

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:**

Protect from heat.

Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Protect from frost.

· **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 5)

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Neoprene gloves

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

No further relevant information available.

(Contd. of page 6)

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

| | |
|--------------------|-----------------|
| Form: | Liquid |
| Colour: | Cloudy |
| · Odour: | Turpentine-like |
| · Odour threshold: | Not determined. |

· pH-value at 20 °C: 6,4

· Change in condition

| | |
|------------------------------|---------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |

· Flash point: 550 °F / 288 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 815 °F / 435 °C

· Decomposition temperature: Not determined.

· Self-igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

| | |
|--------|-----------|
| Lower: | 0,4 Vol % |
| Upper: | 3,2 Vol % |

· Vapour pressure at 20 °C: 23 hPa

| | |
|---------------------|------------------------|
| · Density at 20 °C: | 0,99 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |

· Solubility in / Miscibility with water:

Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

· VOC (EC): 10.5 g/l

· 9.2 Other information: No further relevant information available.

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 7)

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong oxidizing agents.
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

85-68-7 BBP

| | | |
|------|------|------------------|
| Oral | LD50 | 2330 mg/kg (rat) |
|------|------|------------------|

8002-09-3 Pine Oil

| | | |
|--------|------|---------------------|
| Oral | LD50 | 2760 mg/kg (rat) |
| Dermal | LD50 | 5000 mg/kg (rabbit) |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitizing effect by skin contact is possible by prolonged exposure.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- **Repeated dose toxicity:**
May cause damage to organs through prolonged or repeated exposure .
Repeated exposures may result in skin and/or respiratory sensitivity.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):**
Repr. 1B

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 8)

- **Ecotoxicological effects:**
- **Remark:**
Toxic for fish
The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.
Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- **Additional ecological information:**
- **General notes:**
This statement was deduced from the properties of the single components.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- | | |
|---|---|
| <ul style="list-style-type: none"> · 14.1 UN-Number · DOT · ADR, IMDG, IATA | <p style="text-align: center;">N/A UN3082</p> |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT · ADR | <p style="text-align: center;">N/A 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BBP)</p> |

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A


(Contd. of page 9)

| | |
|--|--|
| <ul style="list-style-type: none"> · IMDG · IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BBP), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BBP) |
|--|--|

- **14.3 Transport hazard class(es)**


| | |
|--|-----|
| <ul style="list-style-type: none"> · DOT · Class | N/A |
|--|-----|

- **ADR**



| | |
|--|---|
| <ul style="list-style-type: none"> · Class · Label | 9 (M6) Miscellaneous dangerous substances and articles. 9 |
|--|---|

- **IMDG, IATA**



| | |
|--|---|
| <ul style="list-style-type: none"> · Class · Label | 9 Miscellaneous dangerous substances and articles. 9 |
|--|---|

- **14.4 Packing group**

| | |
|--|------------|
| <ul style="list-style-type: none"> · DOT · ADR, IMDG, IATA | N/A III |
|--|------------|

- **14.5 Environmental hazards:**

| | |
|---|---|
| <ul style="list-style-type: none"> · Marine pollutant: · Special marking (ADR): · Special marking (IATA): | Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) |
|---|---|

- **14.6 Special precautions for user**

| | |
|--|---|
| <ul style="list-style-type: none"> · Danger code (Kemler): · EMS Number: | Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F |
|--|---|

- **14.7 Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code**

Not applicable.

- **Transport/Additional information:**

| | |
|---|--------------|
| <ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code | 5L 3 E |
|---|--------------|

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 10)

| | |
|--------------------------|---|
| · UN "Model Regulation": | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BBP), 9, III |
|--------------------------|---|

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

| |
|---|
| · Section 355 (extremely hazardous substances): |
|---|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|---|
| · Section 313 (Specific toxic chemical listings): |
|---|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|--|
| · TSCA (Toxic Substances Control Act): |
|--|

| |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

| |
|--------------------------------|
| · Proposition 65 (California): |
|--------------------------------|

| |
|------------------------------------|
| · Chemicals known to cause cancer: |
|------------------------------------|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|---|
| · Chemicals known to cause reproductive toxicity for females: |
|---|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|---|
| · Chemicals known to cause reproductive toxicity for males: |
|---|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|--|
| · Chemicals known to cause developmental toxicity: |
|--|

| |
|---------------|
| 85-68-7 BBP |
|---------------|

| |
|---------------------------|
| · Carcinogenic Categories |
|---------------------------|

| |
|---|
| · EPA (Environmental Protection Agency) |
|---|

| | |
|---------------|---|
| 85-68-7 BBP | C |
|---------------|---|

| |
|--|
| · IARC (International Agency for Research on Cancer) |
|--|

| | |
|---------------|---|
| 85-68-7 BBP | 3 |
|---------------|---|

| |
|--|
| · TLV (Threshold Limit Value established by ACGIH) |
|--|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|--|
| · NIOSH-Ca (National Institute for Occupational Safety and Health) |
|--|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|---|
| · OSHA-Ca (Occupational Safety & Health Administration) |
|---|

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

| |
|----------|
| · Canada |
|----------|

| |
|---|
| · Canadian Domestic Substances List (DSL) |
|---|

| |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

(Contd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

(Contd. of page 11)

• **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

• **Canadian Ingredient Disclosure list (limit 1%)**

8001-79-4 | Castor oil

85-68-7 | BBP

• **National regulations:**

• **Other regulations, limitations and prohibitive regulations**

• **Substances of very high concern (SVHC) according to REACH, Article 57**

85-68-7 | BBP

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R21/22 Harmful in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52 Harmful to aquatic organisms.

R61 May cause harm to the unborn child.

R62 Possible risk of impaired fertility.

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

• **Sources**

SDS Prepared by:

ChemTel Inc.

(Contd. on page 13)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 09.08.2013

Revision: 09.08.2013

Trade name: Seal-Krete Surface – Shell Part A

1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

(Contd. of page 12)