1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: Seal-Krete HP Metallic Custom Color #9839 · Article number: 983999 · Application of the substance / the preparation Liquid pigments · 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Seal-Krete / Clayton Corporation 306 Gandy Road Auburndale, FL 33823 Phone: 863-967-1535 Toll-Free: 1-800-323-7357 Further information obtainable from: Product Safety Department · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 **2 Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Carc. 2 H351 Suspected of causing cancer. Classification according to Directive 67/548/EEC or Directive 1999/45/EC X Xn; Harmful R40: Limited evidence of a carcinogenic effect. 🔀 Xi; Irritant R36/37/38: Irritating to eyes, respiratory system and skin. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 07.31.2012

Revision: 07.31.2012

Revision: 07.31.2012

Printing date 07.31.2012 Trade name: Seal-Krete HP Metallic Custom Color #9839 (Contd. of page 1) · Hazard pictograms GHS08 · Signal word Warning · Hazard-determining components of labelling: titanium dioxide · Hazard statements H351 Suspected of causing cancer. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P281 Use personal protective equipment as required. Obtain special instructions before use. P201 Do not handle until all safety precautions have been read and understood. P202 P308+P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects D2B - Toxic material causing other toxic effects · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) ^{*2} Health = *2 HEALTH • Fire = 0 REACTIVITY Reactivity = 0 · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

(Contd. on page 3)

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

(Contd. of page 2)

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|--------------------------------------|--|----------|
| | red iron oxide substance with a Community workplace exposure limit | 25-50% |
| CAS: 12001-26-2 | Mica substance with a Community workplace exposure limit | 50-100% |
| CAS: 13463-67-7 EINECS: 236-675-5 | titanium dioxide Xn R20-40 Carc. Cat. 3 ♦ Carc. 2, H351 ↑ Acute Tox. 4, H332 | 2,5-10% |
| Additional informat | tion: For the wording of the listed risk phrases refer to section 16. | _ |

4 First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

Wear fully protective suit.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Pick up mechanically
- Pick up mechanically.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. Prevent formation of dust.
- Information about fire and explosion protection: Dust can combine with air to form an explosive mixture. No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Do not store together with alkalis (caustic solutions).
- Do not store together with acids.
- Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

| | | (Contd. of page |
|----------------|---|-----------------|
| 8.1 Control p | parameters with limit values that require monitoring at the workplace: | |
| 12001-26-2 N | · · · | |
| | | |
| PEL (USA) | 20 mppcf ppm <1% crystalline silica | |
| | | |
| REL (USA) | 3* mg/m ³ | |
| | *respirable dust; containing < 1% quartz | |
| TLV (USA) | 3* mg/m ³ | |
| EL (Canada) | *as respirable fraction | |
| EL (Canada) | | |
| EV (Canada) | | |
| | respirable | |
| red iron oxid | | |
| PEL (USA) | 10 mg/m ³ | |
| | Fume | |
| REL (USA) | 5 mg/m ³ | |
| | Dust & fume, as Fe | |
| TLV (USA) | 5* mg/m ³ | |
| | *as respirable fraction | |
| EL (Canada) | | |
| | Long-term value: 5* mg/m ³ | |
| | *dust and fume; **fume | |
| EV (Canada) | | |
| 40400 07 74 | *respirable, including Rouge;**total dust | |
| | tanium dioxide | |
| PEL (USA) | 15* mg/m ³ | |
| | *total dust | |
| REL (USA) | See Pocket Guide App. A | |
| TLV (USA) | 10 mg/m ³ | |
| EL (Canada) | 10 mg/m³ IARC 2B | |
| EV/ (Conodo) | | |
| EV (Canada) | total dust | |
| Additional in | | |
| | formation: The lists valid during the making were used as basis. | |
| · 8.2 Exposure | e controls | |
| | tective equipment: | |
| · General prot | ective and hygienic measures: | |
| | om foodstuffs, beverages and feed. | |
| | emove all soiled and contaminated clothing | |
| | before breaks and at the end of work. | |
| Avoid contact | with the eyes and skin. | |
| · Respiratory | | |
| Use suitable r | espiratory protective device in case of insufficient ventilation. | |
| | espiratory protective device when high concentrations are present. | |
| | | (Contd. on page |

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

(Contd. of page 5) · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses

| 9.1 Information on basic physical an General Information | d chemical properties | |
|--|------------------------------|--|
| Appearance: | | |
| Form: | Powder | |
| Colour: | Product Specific | |
| Odour: | Odourless | |
| Odour threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not determined. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Self-igniting: | Product is not selfigniting. | |

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

| | (Contd. of page |
|---|---|
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapour pressure: | Not applicable. |
| · Density at 20°C: | 3,15 g/cm ³ |
| Relative density | Not determined. |
| · Vapour density | Not applicable. |
| Evaporation rate | Not applicable. |
| · Solubility in / Miscibility with | |
| water: | Insoluble. |
| · Segregation coefficient (n-octano | I/water): Not determined. |
| · Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · Solvent content: | |
| Solids content: | 100,0 % |
| 9.2 Other information | No further relevant information available. |

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** Risk of dust explosion if enriched with fine dust in the presence of air. Reacts with aluminium at raised temperatures.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: Toxic metal oxide smoke

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide

Oral LD50 >20000 mg/kg (rat)

(Contd. on page 8)

(Contra of norma 7)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

| Γ | Dermal | LD50 | >10000 mg/kg (rabbit) |
|---|------------|----------|-----------------------|
| | Inhalative | LC50/4 h | >6,82 mg/l (rat) |
| | . | • | |

· Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, ADN, IMDG, IATA

N/A

(Contd. on page 9)

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

| | (Contd. of page 8) |
|---|-----------------------|
| · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA | N/A |
| · 14.3 Transport hazard class(es) | |
| DOT, ADR, ADN, IMDG, IATA Class | N/A |
| · 14.4 Packing group · DOT, ADR, IMDG, IATA | N/A |
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code | of Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

·SARA

| Section 355 (extremely hazardous substa | inces): |
|---|---------|
|---|---------|

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

red iron oxide

13463-67-7 titanium dioxide

• Proposition 65 (California):

· Chemicals known to cause cancer:

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

| C onsin o no | | Contd. of page |
|---------------------|--|----------------|
| - | nic Categories | |
| • | ronmental Protection Agency) | |
| None of the | e ingredients is listed. | |
| · TLV (Three | shold Limit Value established by ACGIH) | |
| | red iron oxide | A4 |
| 13463-67-7 | titanium dioxide | A4 |
| · NIOSH-Ca | (National Institute for Occupational Safety and Health) | 1 |
| 13463-67-7 | titanium dioxide | |
| · OSHA-Ca (| Occupational Safety & Health Administration) | |
| None of the | e ingredients is listed. | |
| · Canada | | |
| · Canadian I | Domestic Substances List (DSL) | |
| All ingredie | nts are listed. | |
| · Canadian I | Ingredient Disclosure list (limit 0.1%) | |
| None of the | e ingredients is listed. | |
| | Ingredient Disclosure list (limit 1%) are listed as required. | |
| 12001-26-2 | • | |
| | red iron oxide | |
| . 15 2 Chem | ical safety assessment: A Chemical Safety Assessment has not been carried ou | ıt |

16 Other information

| This information is based on our present knowledge. However, this shall not constitute any specific product features and shall not establish a legally valid contractual relationship. PRODUCT NUMBERS: | |
|---|---------------------|
| 983000 HP Metallic Black Ice 9830 | |
| 983001 HP Metallic Steelhead Silver 9831 | |
| 983002 HP Metallic Brushed Aluminum 9832 | |
| 983003 HP Metallic Brown Leather 9833 | |
| 983004 HP Metallic Warm Carmel <u>9833</u> | |
| 983005 HP Metallic Deep Bronze (Copper) <u>9834</u> | |
| 983006 HP Metallic Black Cherry 9835 | |
| 983007 HP Metallic Sage Green <u>9836</u> | |
| 983008 HP Metallic Riviera Blue <u>9838</u> | |
| 983999 HP Metallic Custom Color | |
| • Relevant phrases H332 Harmful if inhaled. | |
| H351 Suspected of causing cancer. | |
| | |
| R20 Harmful by inhalation. | |
| R40 Limited evidence of a carcinogenic effect. | (Contd. on page 11) |
| | (Conta. on page 11) |

Printing date 07.31.2012

Revision: 07.31.2012

Trade name: Seal-Krete HP Metallic Custom Color #9839

(Contd. of page 10)

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation

 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 WHMIS: Workplace Hazardous Materials Information System (Canada)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent