GHS

Printing date 17.04.2014

Revision: 17.04.2014

1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: Seal-Krete HP Dura-Shell Matte/Gloss Various Colors Part A · Article number: 224801, 226801, 224001, 226001, 227001, 228001, 226001 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Seal-Krete / Clayton Corporation 306 Gandy Road Auburndale, FL 33823 Phone: 863-967-1535 Toll-Free: 1-800-323-7357 · 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 2 Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to GHS regulations. The product is not classified as hazardous according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. · Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Not Regulated · Hazard pictograms Not Regulated · Signal word Not Regulated · Hazard-determining components of labelling: None. · Hazard statements Not Regulated · Additional information: Safety data sheet available on request. · Hazard description: · WHMIS-symbols: Not hazardous under WHMIS. (Contd. on page 2)

Printing date 17.04.2014

Revision: 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A (Contd. of page 1) · NFPA ratings (scale 0 - 4) Health = 0Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) 0 Health = 0HEALTH FIRE Fire = 1REACTIVITY Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: None in reportable quantities. CAS: 102-71-6 2,2',2"-nitrilotriethanol < 2.5% EINECS: 203-049-8 substance with a Community workplace exposure limit CAS: 7664-41-7 ammonia, anhydrous, ≤ 2,5% 😹 T R23; 🚾 Ć R34; 🏪 N R50 EINECS: 231-635-3 Index number: 007-001-00-5 R10 🚸 Flam. Liq. 3, H226 Press. Gas, H280 ò Acute Tox. 3, H331 🚳 Skin Corr. 1B, H314 💩 Aquatic Acute 1, H400 Flam. Gas 2, H221 • Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- After eye contact: Remove contact lenses if worn.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

(Contd. on page 3)

Printing date 17.04.2014

Revision: 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

(Contd. of page 2)

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 17.04.2014

Revision: 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

	(Contd. of page 3)
· 8.1 Control parameters	
· Ingredients with limit value	es that require monitoring at the workplace:
102-71-6 2,2',2"-nitrilotrieth	anol
TLV (USA) Long-term valu	ue: 5 mg/m ³
EL (Canada) Long-term valu	ue: 5 mg/m³
EV (Canada) Long-term valu	ue: 3,1 mg/m³, 0,5 ppm
• DNELs No further relevant in • PNECs No further relevant in • Additional information: The	
 Respiratory protection: Not Protection of hands: 	jienic measures: No further relevant information available. t required under normal conditions of use.
	impermeable and resistant to the product/ the substance/ the preparation. erial on consideration of the penetration times, rates of diffusion and the
quality and varies from ma substances, the resistance of checked prior to the application • Penetration time of glove not	
Safety glasses	
 Body protection: Not requir Limitation and supervision Risk management measure 	of exposure into the environment No special requirements.
9 Physical and chemical	properties
 9.1 Information on basic pl General Information Appearance: 	nysical and chemical properties
Form:	Fluid
Colour:	Clear
· Odour:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not determined. (Contd. on page 5)
	(Conta. on page 5)

Printing date 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

Revision: 17.04.2014

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. 100 °C	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	t er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: Organic solvents: Water: 	1,2 % 59,9 %	
 9.2 Other information 	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 17.04.2014

Revision: 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 17.04.2014

Γ

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

(Contd. of page 6)

Revision: 17.04.2014

· 14.1 UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
 14.2 UN proper shipping name 	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
 14.3 Transport hazard class(es) 	
· DOT, ADR, ADN, IMDG, IATA	
Class	Not Regulated
· 14.4 Packing group	-
· DOT, ADR, IMDG, IATA	Not Regulated
 14.5 Environmental hazards: 	-
• Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

Section 355 (extremely hazardous substances):	
7664-41-7 ammonia, anhydrous	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for femal	es:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males	:
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	

Printing date 17.04.2014

Revision: 17.04.2014

(Contd. of page 7)

3

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

· IARC (International Agency for Research on Cancer)

102-71-6 2,2',2"-nitrilotriethanol

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

102-71-6 2,2',2"-nitrilotriethanol

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H221 Flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- R10 Flammable.
- R23 Toxic by inhalation.
- R34 Causes burns.
- R50 Very toxic to aquatic organisms.

Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

Printing date 17.04.2014

Revision: 17.04.2014

Trade name: Seal-Krete HP Dura-Shell Clear Matte/Gloss Part A

(Contd. of page 8)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
Flam. Gas 2: Flammable gases, Hazard Category 2
Press. Gas: Gases under pressure: Compressed gas
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 3: Acute toxicity, Hazard Category 3
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
· Sources
SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com