
Printing date 16.10.2014

Revision: 16.10.2014




Printing date 16.10.2014

Revision: 16.10.2014

Trade name: Poly	Shell 1000 Part A
· Information co	(Contd. of page 1)
The product ha	s to be labelled due to the calculation procedure of the "General Classification guideline for the EU" in the latest valid version.
The classificat literature data.	tion is according to the latest editions of the EU-lists, and extended by company and
	tion is in accordance with the latest editions of international substances lists, and is by information from technical literature and by information provided by the company.
· 2.2 Label elem	ents
The following	prding to Regulation (EC) No 1272/2008 Hazard Statements are applicable only to the EU regulations and not the US GHS
regulation: H41 The product is a United States (0	additionally classified and labelled according to the Globally Harmonized System within the
	classified and labelled according to the CLP regulation.
<u>^</u>	
GHS07	
· Signal word W	arning
· Hazard-determ	nining components of labelling:
aspartate ester	blend
ethyl fumarate	
monoaspartate	
 Hazard statem 	
	Hazard Statements are applicable only to the EU regulations and not the US GHS
regulation: H41	
H315 Causes s	
	erious eye irritation.
	se an allergic skin reaction.
	se respiratory irritation.
	o aquatic life with long lasting effects.
· Precautionary	
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective clothing / eye protection.
P264	Wash thoroughly after handling.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
P304+P340	present and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
D222 1 D242	breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352 P501	IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international
F301	regulations.
	(Contd. on page 3)
	(Conta. on page 3)

Printing date 16.10.2014

Revision: 16.10.2014



SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	aspartate ester blend Xi R43 R52/53 ♦ Skin Sens. 1, H317 Aquatic Chronic 3, H412	50-100%
	monoaspartate Xi R36/37/38; Xi R43 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	10-25%
EINECS: 210-819-7	🐼 Acute Tox. 4, H302	5-10%
 Additional informat 	ion: For the wording of the listed risk phrases refer to section 16.	

(Contd. on page 4)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 3)

SECTION 4: First aid measures	
· 4.1 Description of first aid measures	
General information:	
Immediately remove any clothing soiled by the product.	
Take affected persons out into the fresh air.	
· After inhalation:	
Supply fresh air; consult doctor in case of complaints.	
Provide oxygen treatment if affected person has difficulty breathing.	
· After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doct	or.
· After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
 4.2 Most important symptoms and effects, both acute and delayed 	
Coughing	
Allergic reactions	
Breathing difficulty	
Dizziness	
Disorientation	
Gastric or intestinal disorders.	
Irritant to skin and mucous membranes.	
Irritant to eyes.	
May cause respiratory irritation.	
Hazards Irritating to eyes, respiratory system and skin.	
4.3 Indication of any immediate medical attention and special treatment needed	
Treat skin and mucous membrane with antihistamine and corticoid preparations.	
Contains tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate, ethyl fumarate,	
bis(ethoxycarbonyl)ethy-lamino)-3-methylcyclohexyl)methane, bis(1,2,2,6,6-pentamethyl-	4-piperiayi)
sebacate, Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.	
SECTION 5: Firefighting measures	
· 5.1 Extinguishing media	
· Suitable extinguishing agents:	
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	
For a solution of water spray in give larger in each water spray of a solution resistant roam.	

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

(Contd. on page 5)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 4) • Additional information Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 6.2 Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

• Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

	(Contd. of page 5)
· 8.1 Control p	parameters
· Ingredients v	with limit values that require monitoring at the workplace:
	ethoxy-1-methylethyl acetate
IOELV (EU)	Short-term value: 550 mg/m ³ , 100 ppm Long-term value: 275 mg/m ³ , 50 ppm Skin
WEEL (USA)	Long-term value: 50 ppm
EL (Canada)	Short-term value: 75 ppm Long-term value: 50 ppm
. ,	Long-term value: 270 mg/m ³ , 50 ppm
	ethoxy-2-propanol
IOELV (EU)	Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Skin
REL (USA)	Short-term value: 540 mg/m ³ , 150 ppm Long-term value: 360 mg/m ³ , 100 ppm
TLV (USA)	Short-term value: 369 mg/m ³ , 100 ppm Long-term value: 184 mg/m ³ , 50 ppm
EL (Canada)	Short-term value: 75 ppm Long-term value: 50 ppm
EV (Canada)	Short-term value: 550 mg/m ³ , 150 ppm Long-term value: 365 mg/m ³ , 100 ppm
• PNECs No fu	rther relevant information available. rther relevant information available. formation: The lists valid during the making were used as basis.
General prot The usual prot Keep away fro Immediately r Wash hands Do not inhale Avoid contact	ective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. for foodstuffs, beverages and feed. remove all soiled and contaminated clothing. before breaks and at the end of work. gases / fumes / aerosols. with the eyes and skin. protection: Not required under normal conditions of use.
Prote	ective gloves
The glove ma Selection of degradation. • Material of g	terial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the loves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 6)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has to be found out by the manufacturer of the exact break through time has the exact break through time has the exact break through the exact break through time has the exact break through time has the exact break through the exact break throug

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment
- No further relevant information available.
- **Risk management measures** See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

\cdot 9.1 Information on basic physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Colour:	Clear	
• Odour:	Slight	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1,052 g/cm³	(Contd. on page 8)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

 Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined.	(Contd. of page 7)
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: VOC content: 9.2 Other information 	0 g/L No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents. Toxic fumes may be released if heated above the decomposition point.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide
- Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitisation: Sensitisation possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

- Danger through skin adsorption.
- Toxic and/or corrosive effects may be delayed up to 24 hours.
- Sensitisation: May cause an allergic skin reaction.

(Contd. on page 9)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 8) • Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water Hazard Class (Self-classification) in the concentrate.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

Not Regulated

(Contd. on page 10)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

 · 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA · 14.3 Transport hazard class(es) 	Not Regulated	(Contd. of page 9)
· DOT, ADR, IMDG, IATA		
· Class	Not Regulated	
 14.4 Packing group 		
· DOT, ADR, IMDG, IATA	Not Regulated	
 14.5 Environmental hazards: 		
Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex 	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specifies United States (USA) SARA 	fic for the substance or mixture
 Section 355 (extremely hazardous substances): 	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients are listed.	
	(Contd. on page 11)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 10)

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- R22 Harmful if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.

- R43 May cause sensitisation by skin contact.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

Printing date 16.10.2014

Revision: 16.10.2014

Trade name: PolyShell 1000 Part A

(Contd. of page 11) CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com