Printing date 28.04.2015 Revision: 28.04.2015

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Seal-Krete Surface Shell Cove Base Part B
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Polymeric floor coating
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Convenience Products, division of Clayton Corp.

866 Horan Drive

Fenton, MO 63026-2416 Phone: 636-349-5855



ChemTel Inc.

(800)255-3924, +1 (813)248-0585



2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20: Harmful by inhalation.

Xn; Sensitising

R42/43: May cause sensitisation by inhalation and skin contact.

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

(Contd. on page 2)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 1)

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS08

· Signal word Danger

Hazard-determining components of labelling:

diphenylmethanediisocyanate,isomeres and homologues

4,4'-methylenediphenyl diisocyanate

· Hazard statements H332

Harmful if inhaled. H315

Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P285 In case of inadequate ventilation wear respiratory protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· Additional information:

Contains isocyanates. May produce an allergic reaction.

· Hazard description:

· WHMIS-symbols:

D2A - Very toxic material causing other toxic effects



(Contd. on page 3)

Revision: 28.04.2015 Printing date 28.04.2015

Tr Seal-Krete Surface Shell Cove Base Part B

· NFPA ratings (scale 0 - 4)

(Contd. of page 2)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 Health = *2 1 Fire = 1 REACTIVITY Reactivity = 0

- * Indicates a long term health hazard from repeated or prolonged exposures.
- · HMIS Long Term Health Hazard Substances

All ingredients are listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-005-00-9	4.4'-methylenediphenyl diisocyanate Xn R20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3	25-75%
	 Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 	
CAS: 9016-87-9	diphenylmethanediisocyanate isomeres and homologues Xn R20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3	25-75%
	Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

(Contd. on page 4)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 3)

Do not leave affected persons unattended.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Provide oxygen treatment if affected person has difficulty breathing.

· After inhalation:

Take affected persons into fresh air and keep quiet.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Seek immediate medical advice.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Asthma attacks

Dizziness

Coughing

Nausea

Disorientation

· Hazards

Danger of impaired breathing.

Danger of pulmonary oedema.

· 4.3 Indication of any immediate medical attention and special treatment needed

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

Contains isocyanates. Consult literature for specific antidotes.

Medical supervision for at least 48 hours.

If blue colouring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.

Later observation for pneumonia and pulmonary oedema.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 5)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 4)

· Additional information Cool endangered receptacles with water fog or haze.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Additional Spill Procedures/Neutralization: Neutralization solutions:

- (1) Colorimetric Laboratories Inc. (CLI) decontamination solution.
- (2) A mixture of 75% water, 20% non-ionic surfactant (e.g. Plurafac SL-62, Tergitol TMN-10) and 5% n-propanol.
- (3) A mixture of 80% water, 20% non-ionic surfactant (e.g. Plurafac SL-62, Tergitol TMN-10).
- (4) A mixture of 90% water, 3-8% ammonium hydroxide or concentrated ammonia, and 2% liquid detergent.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

(Contd. on page 6)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 5)

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate		
PEL (USA)	Short-term value: C 0,2 mg/m³, C 0,02 ppm	
REL (USA)	Short-term value: C 0,2* mg/m³, C 0,02* ppm Long-term value: 0,05 mg/m³, 0,005 ppm *10-min	
TLV (USA)	0,051 mg/m³, 0,005 ppm	
EL (Canada)	Short-term value: C 0,01 ppm Long-term value: 0,005 ppm Skin; S	
EV/ (Canada)	0.005 ppm	

- EV (Canada) | 0,005 ppm · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep

away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 7)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 6)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- Body protection: Impervious protective clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

Special materials should be readily available for skin exposures and for spills. See Section 4 for skin exposure information, and Section 6 for spill control information.

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

or mysical and offermed properties		
 9.1 Information on basic physical a General Information Appearance: 	and chemical properties	
Form:	Liquid	
Colour:	Brown	
· Odour:	Acrid	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.	
· Flash point:	>500 °F/ >260 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	>500 °F / >260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
		(Contd. on page

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

		(Contd. of page 7
· Explosion limits:		
Lower:	0,4 Vol %	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1,23 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with amines.

Toxic fumes may be released if heated above the decomposition point.

Reacts with catalysts, oxidizing agents and strong alkali.

Contact with acids releases toxic gases.

Exothermic reaction.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: Contact with acids liberates toxic gases.
- 10.6 Hazardous decomposition products:

Poisonous gases/vapours

Hydrogen cyanide (prussic acid)

Nitrogen oxides

Carbon monoxide and carbon dioxide

Isocyanate

(Contd. on page 9)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 8)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2200 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Toxic and/or corrosive effects may be delayed up to 24 hours.

Danger through skin adsorption.

- · Sensitisation: Sensitization possible by inhalation and/or dermal contact.
- · Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- 12.2 Persistence and degradability Moderately /partly biodegradable
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

After neutralization a reduction of the harming action may be recognized

- Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 10)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 9)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

Transport information		
14.1 UN-Number DOT, ADR, ADN, IMDG, IATA	N/A	
14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA	N/A	
14.3 Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	N/A	
14.4 Packing group DOT, ADR, IMDG, IATA	N/A	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annu MARPOL73/78 and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	-	

(Contd. on page 11)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 10)

15 Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for United States (USA) SARA 	the substance or mixture
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	CBD
101-68-8 4,4'-methylenediphenyl diisocyanate	CBD
IARC (International Agency for Research on Cancer)	
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	3
101-68-8 4,4'-methylenediphenyl diisocyanate	3
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
101-68-8 4,4'-methylenediphenyl diisocyanate	(Contd. on page 12)

Printing date 28.04.2015 Revision: 28.04.2015

Trade name: Seal-Krete Surface Shell Cove Base Part B

(Contd. of page 11)

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315	Causes skin irr	itation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R42/43 May cause sensitisation by inhalation and skin contact.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com