
GHS

Printing date 17.06.2014

Revision: 13.06.2014



Printing date 17.06.2014

Revision: 13.06.2014

# Trade name: Seal-Krete Surface Shell Cove Base Part C (Contd. of page 1) · Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labelling: Quartz (SiO2) Distillates (petroleum), solvent-dewaxed heavy paraffinic · Hazard statements H350 May cause cancer. H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalative. Precautionary statements Use personal protective equipment as required. P281 P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P308+P313 IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. P314 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Restricted to professional users. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0 · HMIS-ratings (scale 0 - 4) <sup>\*2</sup> Health = \*2 HEALTH • Fire = 0 FIRE Reactivity = 0 \* - Indicates a long term health hazard from repeated or prolonged exposures. **HMIS Long Term Health Hazard Substances** 14808-60-7 Quartz (SiO2) (Contd. on page 3)

Printing date 17.06.2014

Revision: 13.06.2014

(Contd. of page 2)

## Trade name: Seal-Krete Surface Shell Cove Base Part C

### · 2.3 Other hazards

## · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

## **3** Composition/information on ingredients

### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

• ·		
CAS: 14808-60-7		50-100%
EINECS: 238-878-4	🗙 Xn R48/20	
	🐼 Carc. 1A, H350; STOT RE 2, H373	
CAS: 65997-15-1	Cement, portland, chemicals	10-25%
EINECS: 266-043-4	substance with a Community workplace exposure limit	
· Additional informat	ion: For the wording of the listed risk phrases refer to section 16.	

## 4 First aid measures

## • 4.1 Description of first aid measures

### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

In case of irregular breathing or respiratory arrest provide artificial respiration.

### · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

### • After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

### • After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

Seek immediate medical advice.

### • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Slight irritant effect on skin and mucous membranes.

Slight irritant effect on eyes.

Cramp

Nausea

Coughing Breathing difficulty

(Contd. on page 4)

Printing date 17.06.2014

Trade name: Seal-Krete Surface Shell Cove Base Part C

· Hazards Danger of impaired breathing.

• **4.3 Indication of any immediate medical attention and special treatment needed** Contains crystalline silica / quartz. If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

## **5** Firefighting measures

## · 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

## 5.3 Advice for firefighters

## · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information No further relevant information available.

# 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective clothing.

Avoid formation of dust.

Ensure adequate ventilation

- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## · 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Take note of emission threshold.

· Information about fire - and explosion protection: No special measures required.

# • 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Protect from humidity and water.

(Contd. on page 5)

Revision: 13.06.2014

(Contd. of page 3)

Printing date 17.06.2014

Revision: 13.06.2014

Trade name: Seal-Krete Surface Shell Cove Base Part C

(Contd. of page 4)

 Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids.
Further information about storage conditions: Store in dry conditions. This product is hygroscopic. Protect from humidity and water. None.
7.3 Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

### · 8.1 Control parameters

· Ingredients	with limit values that require monitoring at the workplace:	
14808-60-7 0	Quartz (SiO2)	
PEL (USA)	see Quartz listing	
REL (USA)	Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0,025* mg/m <sup>3</sup> *as respirable fraction	
EL (Canada)	Long-term value: 0,025 mg/m <sup>3</sup> ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0,10* mg/m <sup>3</sup> *respirable fraction	
65997-15-1 0	Cement, portland, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m³ E; *as respirable fraction	
EL (Canada)	Long-term value: 10 mg/m <sup>3</sup>	
EV (Canada)	Long-term value: 10(D) mg/m³ total dust	
• PNECs No fu	urther relevant information available. urther relevant information available. Information: The lists valid during the making were used as basis.	
General pro	e controls otective equipment: tective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. rom foodstuffs, beverages and feed.	
· ·	-	(Contd. on page 6)

GHS

Printing date 17.06.2014

Revision: 13.06.2014

# Trade name: Seal-Krete Surface Shell Cove Base Part C

(Contd. of page 5) Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. Use respiratory protection when grinding or cutting material. Particulate mask should filter at least 99% of airborne particles. Protection of hands: Rubber gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available. 9 Physical and chemical properties • 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Granulate Colour: Whitish · Odour: Odourless

· Odour threshold:

· pH-value:

Not determined. Not applicable.

(Contd. on page 7)

Printing date 17.06.2014

Revision: 13.06.2014

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not applicable.	
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not applicable. Not applicable.	
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity: Dynamic: Kinematic: 9.2 Other information	Not applicable. Not applicable. No further relevant information available.	

## **10 Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions
- Reacts with water and acids.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide

(Contd. on page 8)

Printing date 17.06.2014

Revision: 13.06.2014

(Contd. of page 7)

## Trade name: Seal-Krete Surface Shell Cove Base Part C

Toxic metal oxide smoke Sulphur oxides (SOx)

# **11** Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- Additional toxicological information:

Toxic and/or corrosive effects may be delayed up to 24 hours.

May be harmful if inhaled.

- Acute effects (acute toxicity, irritation and corrosivity): Irritating to respiratory system.
- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1A

## **12 Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:

• Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## 13 Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Can be reused after reprocessing.

(Contd. on page 9)

Printing date 17.06.2014

Revision: 13.06.2014

## Trade name: Seal-Krete Surface Shell Cove Base Part C

(Contd. of page 8)

Contact waste processors for recycling information.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

#### **14 Transport information** · 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA Not Regulated · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Not Regulated · 14.3 Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Not Regulated · 14.4 Packing group · DOT, ADR, IMDG, IATA Not Regulated · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. **UN "Model Regulation":**

## **15 Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

## • TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65 (California):

## · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

(Contd. on page 10)

Printing date 17.06.2014

Revision: 13.06.2014

## Trade name: Seal-Krete Surface Shell Cove Base Part C

	(Contd. of pag
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
14808-60-7 Quartz (SiO2)	
TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO2)	ŀ
NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
14808-60-7 Quartz (SiO2)	
Other regulations, limitations and prohibitive regulations	
Substances of very high concern (SVHC) according to REACH, Article 57	7
None of the ingredients is listed.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## **Relevant phrases**

H350 May cause cancer.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: H373 Inhalative.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Printing date 17.06.2014

Revision: 13.06.2014

### Trade name: Seal-Krete Surface Shell Cove Base Part C

(Contd. of page 10) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Carc. 1A: Carcinogenicity, Hazard Category 1A STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com